Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16 4	49968	(shift adj register)with (phase or pulse or clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 13:35
S16 6	6077	(shift adj register)with (phase or pulse or clock) and (ccd or photodiode or photoelectric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 13:36
S16 5	5178	(shift adj register)with (phase or pulse or clock) and (ccd or photodiode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 13:36
S16 7	586	(shift adj register)with (phase or pulse or clock) with (third or three) and (ccd or photodiode or photoelectric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 13:39
S16 8	351	(shift adj register)with (phase or pulse or clock) near4 (third or three) and (ccd or photodiode or photoelectric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 14:21
S16 9	252	(shift adj register)with (phase or pulse or clock) near4 (third or three) and (ccd or photodiode or photoelectric)and light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:46
S17 0	204	(shift adj register)with (phase or pulse or clock) near4 (third or three) and (ccd or photodiode or photoelectric)and frequenc\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:47
S17 2	48	(shift adj register)with (phase or pulse or clock) near4 (third or three) and (ccd or photodiode or photoelectric)and (frequenc\$4 with (phase or pulse or clock)with (two or twice or double))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/19 16:49
S17 1	163	(shift adj register)with (phase or pulse or clock) near4 (third or three) and (ccd or photodiode or photoelectric)and (frequenc\$4 with (phase or pulse or clock))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/19 16:49

S17 3	10	("4281254").URPN.	USPAT	OR	OFF	2006/10/20 08:00
S17 4	296	three adj phase with shift adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 08:01
S17 5	79	three adj phase with shift adj register and accumulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 08:37
S17 6	32	three adj phase with shift adj register and (combin\$4 with charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 08:42
S17 7	26	three adj phase with shift adj register and ((added or adding or add) with charge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:17
L1	2039	digital adj camera with analog with digit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:18
L2	74	digital adj camera with analog with digit\$5 with gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:19
L5	1	digital adj camera same analog with digit\$5 with gain same shading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:20
L4	1	digital adj camera same analog with digit\$5 with gain with shading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:20

L3	1	digital adj camera with analog with digit\$5 with gain with shading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/10/20 10:20
L6	8	digital adj camera same analog with digit\$5 with gain and shading	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:21
L7	8	digital adj camera same analog with digit\$5 with gain with correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:22
L8	41	digital adj camera and analog with digit\$5 with gain with correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:25
L11	2111	shift adj register and (transfer near4 mode)and frequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:26
L10	3390	shift adj register and (transfer near4 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:26
L9	120783	shift adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:26
L13	0	shift adj register and (transfer near4 mode)with (frequenc\$4 with (twice or double))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:27

	Τ.		r			
L12	255	shift adj register and (transfer near4 mode)and (frequenc\$4 with (twice or double))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:27
L14	2	shift adj register and (transfer near4 mode)same (frequenc\$4 with (twice or double))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:28
L15	201	shift adj register and (frequenc\$4 with (twice or double)) with resolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:38
L16	14	shift adj register and (frequenc\$4 with (twice or double)) with ((low or high) near4 resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:42
L17	5	shift adj register and (frequenc\$4 with (twice or double)) with ((low or high) near4 resolution)and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:48
L19	129	shift adj register and (frequenc\$4 with (twice or double)) with resolution with nyquist and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:49
L20	816	shift adj register and (frequenc\$4 with (twice or double)) with pulse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:02
L18	143	shift adj register and (frequenc\$4 with (twice or double)) with resolution and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:02

				_		
L21	9	shift adj register and (frequenc\$4 with (twice or double)) with pulse with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:07
L23	2224	shift adj register and (frequenc\$4 with (twice or double)) with (pulse or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:09
L22		shift adj register and (frequenc\$4 with (twice or double)) with (pulse or clock) with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:09
L24	219	shift adj register with (frequenc\$4 with (twice or double)) with (pulse or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:10
L26	8429	shift adj register with (phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:11
L25	52336	shift adj register with (pulse or clock or phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:11
L27	296	shift adj register with (three adj phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:12
L28	114	shift adj register with (three adj phase) and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:25

L29	69	shift adj register with (phase with frequenc\$4) and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:28
L30	1	shift adj register with (phase with frequenc\$4 with (twice or double)) and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:30
L31	2	shift adj register same (phase with frequenc\$4 with (twice or double)) and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:36
L34	143	shift adj register and (frequenc\$4 with (twice or double))with resolution and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:40
L33	0	shift adj register and (phase with frequenc\$4 with (twice or double))with resolution and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:40
L32	26	shift adj register and (phase with frequenc\$4 with (twice or double)) and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:40
L36	2758	horizontal near2 shift near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:12
L39	7	horizontal near2 shift near2 register with frequenc\$4 with (doubl\$1 or twice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:13

	<u>,</u>					
L38	7	horizontal near2 shift near2 register with frequenc\$4 with (double or twice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:13
L37	133	horizontal near2 shift near2 register with frequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:13
L40	9	horizontal near2 shift near2 register with frequenc\$4 with (doubl\$2 or twice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:19
L41	18	horizontal near2 shift near2 register same frequenc\$4 with (doubl\$2 or twice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:00
L42	4845	shift adj5 register and mode with frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:02
L43	182	shift adj5 register and mode with frequency with (twice or doubl\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:25
L44	29	shift adj5 register and mode with frequency with (twice or doubl\$5)and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:22
L45	770	382/312.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L40	9	horizontal near2 shift near2 register with frequenc\$4 with (doubl\$2 or twice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:19
L41	18	horizontal near2 shift near2 register same frequenc\$4 with (doubl\$2 or twice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:00
L42	4845	shift adj5 register and mode with frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:02
L43	182	shift adj5 register and mode with frequency with (twice or doubl\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:25
L44	29	shift adj5 register and mode with frequency with (twice or doubl\$5)and ccd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:22
L45	770	382/312.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:23



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IFFE XPI ORE GUIDE

	DIGHTOL	CEAROII	ILLE XI LOILE GOIDE	-
Results for "((((ccd and register) <in>metadata))<and Your search matched 10 of 155 documents. A maximum of 100 results are displayed, 25 to a page,</and </in>	•	,,	•	∑]e-mai
» Search Options				

» Search O	ptions						
View Sessi	on History	Modify Search					
New Search		((((ccd and register) <in>metadata))<and>(mode<in>metadata))</in></and></in>					
New Sealon			Check to search only within this results set				
» Key		Dis	play Format: Citation & Abstract				
IEEE JNL	IEEE Journal or Magazine	_ víe	ew selected items Select All Deselect All				
IEE JNL	IEE Journal or Magazine	▼ €					
IEEE CNF	IEEE Conference Proceeding		1. A 2/3" 1188(H) * 484(V) frame-transfer CCD for ESP and movie mode Bosiers, J.; Dillen, B.; Jaspers, C.; Kleimann, A.; Kokshoorn, A.; Peek, H.; van				
IEE CNF	Proceeding		Electron Devices Meeting, 1988. Technical Digest., International 11-14 Dec. 1988 Page(s):70 - 73				
IEEE STD	IEEE Standard		Digital Object Identifier 10.1109/IEDM.1988.32753				
			AbstractPlus Full Text: PDF(468 KB) IEEE CNF Rights and Permissions				
			 A 2/3-in 1187(H)×581(V) S-VHS-compatible frame-transfer CCD for ESP an Bosiers, J.T.; Kleimann, A.C.; Dillen, B.G.; Peek, H.L.; Kokshoorn, A.L.; Daeme Sijde, A.G.; van Gaal, L.T.; <u>Electron Devices, IEEE Transactions on</u> Volume 38, Issue 5, May 1991 Page(s):1059 - 1068 Digital Object Identifier 10.1109/16.78380 				
			<u>AbstractPlus</u> Full Text: <u>PDF(</u> 1092 KB) IEEE JNL <u>Rights and Permissions</u>				
	·		 Application of charge-coupled devices to infrared detection and imaging Steckl, A.J.; Nelson, R.D.; French, B.T.; Gudmundsen, R.A.; Schechter, D.; Proceedings of the IEEE Volume 63, Issue 1, Jan. 1975 Page(s):67 - 74 				
			AbstractPlus Full Text: PDF(733 KB) IEEE JNL Rights and Permissions				
			4. An experimental study of charge diffusion in the undepleted silicon of X-I Prigozhin, G.; Butler, N.R.; Kissel, S.E.; Ricker, G.R.; Electron Devices, IEEE Transactions on Volume 50, Issue 1, Jan. 2003 Page(s):246 - 253 Digital Object Identifier 10.1109/TED.2002.806470 AbstractPlus References Full Text: PDF(661 KB) IEEE JNL Rights and Permissions				

5. Lynx: a high-resolution synthetic aperture radar Tsunoda, S.I.; Pace, F.; Stence, J.; Woodring, M.; Hensley, W.H.; Doerry, A.W Aerospace Conference Proceedings, 2000 IEEE Volume 5, 18-25 March 2000 Page(s):51 - 58 vol.5 Digital Object Identifier 10.1109/AERO.2000.878471 AbstractPlus | Full Text: PDF(1188 KB) IEEE CNF



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Res	sults	BROWSE SEARCH IEEE XPLORE GUIL	DE
Your search	h matched 10 of 155 docum	emetadata)) <and>(mode<in>metadata))" ments. ed, 25 to a page, sorted by Relevance in Descending order.</in></and>	∑ e-mui
» Search O	ptions		
View Sessi	on History	Modify Search	10240010000
New Searc	<u>h</u>	((((ccd and register) <in>metadata))<and>(mode<in>metadata))</in></and></in>	Search
		☐ Check to search only within this results set	
» Key		Display Format: Citation C Citation & Abstract	
IEEE JNL	IEEE Journal or Magazine	view selected items Select All Deselect All	
IEE JNL	IEE Journal or Magazine	•	
IEEE CNF	IEEE Conference Proceeding	1. A 2/3" 1188(H) * 484(V) frame-transfer CCD for ESP and movie m Bosiers, J.; Dillen, B.; Jaspers, C.; Kleimann, A.; Kokshoorn, A.; Pee	
IEE CNF	IEE Conference Proceeding	Electron Devices Meeting, 1988. Technical Digest., International 11-14 Dec. 1988 Page(s):70 - 73	ι, τι., νωτι
IEEE STD	IEEE Standard	Digital Object Identifier 10.1109/IEDM.1988.32753	
		AbstractPlus Full Text: <u>PDF</u> (468 KB) IEEE CNF Rights and Permissions	
		2. A 2/3-in 1187(H)×581(V) S-VHS-compatible frame-transfer CCD f Bosiers, J.T.; Kleimann, A.C.; Dillen, B.G.; Peek, H.L.; Kokshoorn, A Sijde, A.G.; van Gaal, L.T.; Electron Devices, IEEE Transactions on Volume 38, Issue 5, May 1991 Page(s):1059 - 1068 Digital Object Identifier 10.1109/16.78380	
		AbstractPlus Full Text: PDF(1092 KB) IEEE JNL Rights and Permissions	
		3. Application of charge-coupled devices to infrared detection and Steckl, A.J.; Nelson, R.D.; French, B.T.; Gudmundsen, R.A.; Schech Proceedings of the IEEE Volume 63, Issue 1, Jan. 1975 Page(s):67 - 74	
		<u>AbstractPlus</u> Full Text: <u>PDF</u> (733 KB) IEEE JNL <u>Rights and Permissions</u>	
		4. An experimental study of charge diffusion in the undepleted sill Prigozhin, G.; Butler, N.R.; Kissel, S.E.; Ricker, G.R.; Electron Devices, IEEE Transactions on Volume 50, Issue 1, Jan. 2003 Page(s):246 - 253 Digital Object Identifier 10.1109/TED.2002.806470	icon of X-ı
		AbstractPlus References Full Text: PDF(661 KB) IEEE JNL Rights and Permissions	
		5. Lynx: a high-resolution synthetic aperture radar Tsunoda, S.I.; Pace, F.; Stence, J.; Woodring, M.; Hensley, W.H.; De Aerospace Conference Proceedings, 2000 IEEE	oerry, A.W

Volume 5, 18-25 March 2000 Page(s):51 - 58 vol.5 Digital Object Identifier 10.1109/AERO.2000.878471 AbstractPlus | Full Text: PDF(1188 KB) IEEE CNF